



# ASCOT RANGE



Our aluminium radiators conduct up to 5 times more than steel, circulating heat more efficiently. Designed to be dimensionally smaller than traditional steel heat sources, they supply the same heat output at a lower cost.

A modern take on the traditional radiator and made from recycled materials, these radiators are both lightweight and slim line, making installation safer and easier.

**10**  
YEARS

Manufacturers  
Warranty



Available in  
White & Anthracite



## FEATURES AND BENEFITS

- Lightweight and slimline.
- Modern take on traditional radiators suitable for all rooms.
- Aluminium radiator finished in white and anthracite.
- Max Working Pressure: 10 bar
- Max Working Temp: 95 degrees C

### ASCOT WHITE SINGLE

Height	Length	Product Code	Output at $\Delta T_{50}$		SECTION
			Watts	BTU	
600	407	510028	291	992	4
	612	510029	436	1487	6
	817	510030	582	1985	8
	1022	510031	727	2480	10
	1227	510032	872	2975	12
	1432	510033	1018	3473	14
1800	305	510024	590	2013	3
	407	510025	786	2681	4
	510	510026	983	3354	5
	612	510027	1179	4022	6

### ASCOT WHITE DOUBLE

Height	Length	Product Code	Output at $\Delta T_{50}$		SECTION
			Watts	BTU	
600	407	510018	390	1330	4
	612	510019	585	1996	6
	817	510020	779	2658	8
	1022	510021	974	3323	10
	1227	510022	1169	3988	12
	1432	510023	1364	4654	14
1800	305	510014	767	2617	3
	407	510015	1023	3490	4
	510	510016	1278	4360	5
	612	510017	1534	5234	6

### ASCOT ANTHRACITE SINGLE

Height	Length	Product Code	Output at $\Delta T_{50}$		SECTION
			Watts	BTU	
600	407	510099	291	992	4
	612	510100	436	1487	6
	817	510101	582	1985	8
	1022	510102	727	2480	10
	1227	510103	872	2975	12
	1432	510104	1018	3473	14
1800	305	510095	590	2013	3
	407	510096	786	2681	4
	510	510097	983	3354	5
	612	510098	1179	4022	6


### ASCOT ANTHRACITE DOUBLE

Height	Length	Product Code	Output at $\Delta T_{50}$		SECTION
			Watts	BTU	
600	407	510089	390	1330	4
	612	510090	585	1996	6
	817	510091	779	2658	8
	1022	510092	974	3323	10
	1227	510093	1169	3988	12
	1432	510094	1364	4654	14
1800	305	510085	767	2617	3
	407	510086	1023	3490	4
	510	510087	1278	4360	5
	612	510088	1534	5234	6


# TECHNICAL DIAGRAMS

## ASCOT COLLECTION - DOUBLE

600MM  
CONFIGURATION




1800MM  
CONFIGURATION



# TECHNICAL DIAGRAMS

## ASCOT COLLECTION - SINGLE

600MM  
CONFIGURATION



1800MM  
CONFIGURATION

